

TUVALU SHIP REGISTRY

Singapore Operations Office:

10 Anson Road #25-16, International Plaza, Singapore 079903

Tel: (65) 6224 2345 Fax: (65) 6227 2345

Email: info@tvship.com Website: www.tvship.com

MARINE CIRCULAR

MC-2/2006/07/09/10/12/5

03/2025

FOR: Ship Owners, Ship Managers, Ship Operators, Ship Masters, Ship Officers, Classification Societies and Port State Inspectors

SUBJECT: MINIMUM SAFE MANNING SCALE

DEFINITIONS:

The following abbreviations stand for:

- "COC" A Certificate of Competence which is issued in compliance with the provisions of the STCW Convention
- "COE" Certificate of Endorsement issued in recognition of a STCW Certificate issued by a country on the IMO "White List"
- "DCE" Certificate of Endorsement issued in recognition of a STCW Dangerous Cargo Endorsement Certificate
- "GOC" Certificate of Endorsement issued in recognition of a STCW GMDSS-General Operator Certificate
- "GMDSS" Global Maritime Distress and Safety System
- "MLC" Maritime Labour Convention, 2006, as amended
- "OSV" Offshore Supply Vessel
- "STCW" International Convention on Standards of Training, Certification and Watchkeeping for Seafarers, 1978, as amended

The term "Administration" shall mean the Tuvalu Ship Registry.

CONTENTS:

1. General Requirements

- 1.1. Only OFFICERS are required to apply for Crew Endorsements (i.e. COE/GOC/DCE/SSO etc).
- 1.2. Officers onboard specialized vessels such as Tankers will also need to apply for Crew Endorsements specific to the vessel, for example, Senior Officers on board a LPG Tanker will need to submit the following certificates for endorsement by this Administration:
 - 1.2.1. Tanker Familiarization Certificate for junior officers and ratings STCW Chapter V Regulation V/1-2 Paragraph 1 and 2 (Section A-V/1-2 Paragraph 1).
 - 1.2.2. Advance Tanker Safety Certificate for senior officers STCW Chapter V Regulation V/1-2 Paragraph 3 and 4 (Section A-V/1-2 Paragraph 2).
- 1.3. Provision for a reduced manning requirement specific to OSV is made in this circular in view that the operations of OSVs differ from other types of cargo vessels. Please refer to sections 3.2 and 4.2 for OSV specific manning levels for Deck and Engine Room respectively.
- 1.4. Please refer to RC-5/2012/1 for application procedures for COE/GOC/DCE/SSO etc.

2. Principles of Minimum Safe Manning

- 2.1. The minimum safe manning of the vessel shall observe IMO Resolution A.1047 (27) "Principles of Minimum Safe Manning", as amended, in ensuring that the vessel is sufficiently, effectively and efficiently manned to ensure the safety and security of the vessel, safe navigation and operations at sea, safe operations in port, prevention of human injury or loss of life, the avoidance of damage to the marine environment and to property, and the welfare and health of seafarers through the avoidance of fatigue.
- 2.2. All crew working on board shall comply with the hours of work and hours of rest in accordance with the requirements of STCW and MLC.

3. Manning Requirements - Deck

3.1. Applicable to all self-propelled vessels (except for OSV)

| Gross | Mini | mum qualified | | | | |
|--------------|--------|---------------|-------------------|----------------------|---------------------------|--|
| Tonnage | Master | Chief Mate | OOW Navigation | Deck Watch Rating | Remarks | |
| 3000 & above | 1(a) | 1(b) | 1(c) | 3(d) | For International voyages | |
| 1600 - 2999 | 1(e) | 1(f) | 1(c) | 3(d) | For International voyages | |
| 500 - 1599 | 1(e) | - | 2(c) | 3(d) | For International voyages | |
| 200 - 499 | 1(e) | - | 1(c) | 2(d) | For International voyages | |
| Below 200 | 1(e) | - | 1(c) | 1(d) | For International voyages | |

3.2. Applicable to OSV

| Gross Tonnage | Mini | mum qualified | | | |
|------------------|--------|---------------|-------------------|----------------------|---------------------------|
| | Master | Chief Mate | OOW Navigation | Deck Watch Rating | Remarks |
| 3000 & above | 1(a) | 1(b) | 1(c) | 2(d) | For International voyages |
| 1600 - 2999 | 1(e) | 1(f) | 1(c) | 2(d) | For International voyages |
| 200 - 1599 | 1(e) | - | 1(c) | 2(d) | For International voyages |
| Below 200 | 1(e) | - | 1(c) | 1(d) | For International voyages |

Certificate Type

- COC under Reg II/2 (Master on ships above 3000 GT)
- COC under Reg II/2 (Chief Mate on ships above 3000 GT) COC under Reg II/1 (OOW on ships of 500 GT and above)
- (c)
- Certification of ratings forming part of a navigational watch, Reg II/4 or II/5 (d)
- COC under Reg II/2 (Master on ships between 500 and 3000 GT) (e)
- COC under Reg II/2 (Chief Mate on ships between 500 and 3000 GT)

4. Manning Requirements - Engine Room

| | Minimum qualified Engineers & Ratings | | | | | | |
|----------------------|---------------------------------------|--------------------|-----------------|----------------------------|---|--|--|
| Engine Power (kW) | Chief Engineer | Second Engineer | OOW Engineer | Engine Watch Ratings | Vessel certified for unattended machinery space (UMS) operation | | |
| 3000 & above | 1(a) | 1(b) | 1(c) | 2(d) | Less 1 OOW | | |
| 1500 - 2999 | 1(e) | 1(f) | - | 1(d) | - | | |
| 750 - 1499 | 1(e) | - | 1(c) | 1(d) | • | | |
| 749 & below | - | 1(f) | 1(c) | 1(d) | Less 1 OOW | | |

Certificate Type

- (a) COC under Reg III/2 (C/E on ships above 3000 KW)
- (b) COC under Reg III/2 (2/E on ships above 3000 KW)
- (c) COC under Reg III/1 (OOW on ships above 750 KW)
- (d) Certification of ratings forming part of an engine watch, Reg III/4 or III/5
- (e) COC under Reg III/3 (C/E on ships between 750 and 3000 KW)
- (f) COC under Reg III/3 (2/E on ships between 750 and 3000 KW)

5. Manning Requirements - GMDSS Radio Personnel (STCW Reg. IV/2)

| Area A1 | At least 1 officer with GMDSS Restricted Operator's Cert (ROC) |
|---------|--|
| Area A2 | At least 1 officer with GMDSS General Operator's Cert (GOC) |
| Area A3 | At least 2 officers with GMDSS GOC or 1 dedicated officer with a GMDSS GOC |
| Area A4 | At least 2 officers with GMDSS GOC or 1 dedicated officer with a GMDSS GOC |

6. Reduction in Manning Levels

- 6.1. Requests to reduce the minimum safe manning requirements stipulated in sections (3) and (4) may be considered by the Administration with submission of the following information:
 - 6.1.1. Reason(s) for the request in reduction e.g. vessel design, restricted area of operations, restricted operation hours etc. All reasons shall be provided in a manner that is clear and easy to understand with supporting documents where applicable.
 - 6.1.2. Proposed reduction in manning level.
- 6.2. The Administration may reject any request for reduction in manning if it considers that such reduction puts the safety of the crew and vessel at risks.

Yours sincerely

Deputy Registrar Tuvalu Ship Registry